

Substitute for Form 1449A/PTO		Application #	10/562,229
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		Confirmation #	5464
		Filing Date	December 23, 2005
		First Inventor	SAINI
		Art Unit	
		Examiner	
Sheet 1 of 1		Docket #	P08813US00/MP

U.S. PATENT DOCUMENTS

Exam. Initial*	Document No. Number - Kind	Publ. Date MM-DD-YYYY	Name Patentee or Applicant	Relevance Passages/Figs.
/MW/	US-2005/0093556	05-05-2005	Mueller, et al. (U.S. Equivalent of EP 1 143 240)	
	US-6,134,461	10-17-2000	Say et al.	
↓	US-6,733,655	05-11-2004	Davies, et al. (U.S. Equivalent of WO 01/67099)	
/MW/	US-2005/0082175	04-21-2005	Saini, et al. (U.S. Equivalent of WO 02/086149)	
	US-			
	US-			
	US-			

FOREIGN PATENT DOCUMENTS

Exam. Initial*	Country-Number-Kind	Publ. Date MM-DD-YYYY	Name Patentee or Applicant	Relevance Passages/Figs.	Trans- lation
/MW/	WO-00/20855	04-13-2000	Saini, et al		

NON PATENT LITERATURE DOCUMENTS

Exam. Initial*	Include NAME of the author (in CAPS), Title of Article/Item, Date, Page(s), Volume-Issue No., Publisher, City and/or Country where published	Trans- lation
/MW/	RICHARDS E ET AL: "A liquid handling system for the automated acquisition of data for training, validating and testing calibration models"; SENSORS AND ACTUATORS B, ELSEVIER SEQUOIA S.A., LAUSANNE, CH, vol. 88, no. 2, 15 January 2003 (2003-01-15), pages 149-154, XP004399083; ISSN: 0925-4005; paragraphs '2.1.1., '2.4.1; figure 2	
/MW/	FUNG Y-S ET AL: "APPLICATION OF DUAL-PULSE STAIRCASE VOLTAMMETRY FOR SIMULTANEOUS DETERMINATION OF GLUCOSE AND FRUCTOSE"; ELECTROANALYSIS, VHC PUBLISHERS, INC, US, vol. 7, 1995, pages 160-165, XP00870447; ISSN: 1040-0397; paragraph '3.2.1; figure 6	

Examiner Signature	/Maureen Wallenhorst/ (09/10/2007)	Date Considered
--------------------	------------------------------------	-----------------

* Examiner: Initial if considered, whether or not citation is in conformance with MPEP §609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.